





Quilter Basics_

Read instructions before beginning a project. All instructions include a ¼" seam allowance. 22" measurement is approximate. WOF–width of fabric

QUILT CONSTRUCTION _

Let's take a look at the diagram in Step 3. There are 2 different rows in this quilt. The Pinwheels in Rows A rotate in one direction and the Pinwheels in Row B spin in the opposite direction. Note: You will be using each of the 16 prints twice.

Row A Blocks: If the block will appear in Row A, make the blocks using these steps:

(A) Select from one print: 2-47% x 47% squares 2-41/2 x 81/2 rectangles

Carefully cut the 2–47%" squares on the diagonal as shown. *Note the direction of the print.*



(B) Combine the print triangles with a 47%" Background triangle to make 4 half square triangles.



(C) Sew the half square triangles together to make one Pinwheel block. *Press the seams open*.



(D) Draw a diagonal line on the back of one 4¹/₂" Background square. Layer the Background square and one 4¹/₂"x 8¹/₂" print right sides together as shown. Stitch on the diagonal line. Trim ¹/₄" away from the stitching. Press to the corner to form a triangle. Repeat with the second print rectangle as shown. Set aside the Pinwheel and 2 rectangles together.







Make 1

Repeat to make total of 16-(1 Pinwheel & 2 rectangles) sets for Row A.

Row B Blocks: If the block will appear in Row B, make the blocks using these steps:

(A) Select from one print: 2-47% x 47% squares 2-41% x 81/2" rectangles

Carefully cut the 2–47/8" squares on the diagonal as shown. *Note the direction of the print.*



(B) Combine the print triangles with a 47%" Background triangle to make 4 half square triangles.



Make 4 Half square triangles 4½" x 4½"

- with seams
- (C) Sew the half square triangles together to make one Pinwheel block. *Press the seams open.*



(D) Draw a diagonal line on the back one 4½" Background square. Layer the Background square and one 4½"x 8½" print right sides together as shown. Stitch on the diagonal line. Trim ¼" away from the stitching. Press to the corner to form a triangle.

Repeat with the second print rectangle as shown. Set aside the Pinwheel and 2 rectangles together.



Repeat to make total of 16-(1 Pinwheel & 2 rectangles) sets for Row B.



Always press away from the center of the quilt top.
Add the 2-4½"x64½" Background Borders to the sides.
Add the 2-4½"x64½" Background Borders to the top and bottom.
Add the 2-4½"x72½" Final Borders to the sides.
Add the 2-4½"x72½" Final Borders to

the top and bottom.



Sew the 8–2¹/₂"x WOF Binding strips together. Layer, quilt and bind. ENJOY!



Quilt is 72"x 80".

kate SPain

oda

Quilt is 72"x 80".

FABRIC REQUIREMENTS

Block Prints: 16 assorted fat quarters Background & Inner Border: 3½ yards Final Border: 1¼ yards Binding: ¾ yard Backing: 5½ yards

Quilt designed by Kate Spain



M O D A F A B R I C S . C O M PS27120 — Suggested Retail \$6.00



CUTTING

Block Prints: (fat quarter of each) cut carefully, many of the prints are directional from each of the 16 prints cut: 4-47/s"x 47/s" 4-41/2"x 81/2"

47⁄8"	47⁄8"	41/8"	47/8"
4½" x 8½"		4½" x 8½"	
4½" x 8½"		4½" x 8½	2"
	*		41.

Background & Inner Border: 8–47/8"x WOF strips subcut 64–47/8"x 47/8" cut once diagonally

 $16-4\frac{1}{2}$ "x WOF strips $64-4\frac{1}{2}$ "x $4\frac{1}{2}$ squares sew 4 sets of 2 strips together then cut $4-4\frac{1}{2}$ "x $64\frac{1}{2}$ " strips

Final Border: 8–4½"x WOF strips sew 4 sets of 2 strips together then cut 4–4½"x72½" strips

Binding: 8–2¹/₂"x WOF strips